



BeauTome Biotech Limited

# PRODUCT CATALOGUE 2026

[www.beautomepro.com](http://www.beautomepro.com)



# ABOUT US

BeauTome Biotechnology is the leader in hair removal wax manufacturing in China. Established in 2017 in the city of Shenzhen, BeauTome is dedicated to creating natural and safe hair removal waxes that focus on quality and efficiency rather than cheap mass production. The company's products include all kinds of waxes, wax warmers, and pre and post-waxing care products. Smooth skin and smooth business cooperation – that's the promise of BeauTome Biotechnology.



Anti-Allergic



Formula Customization



GMP Certificates



Lab Tested



Natural Formula



Quality Guarantee



**Compact &  
Portable**



**No Burn  
Technology**  
(Graphene Heating)



**Hygienic  
Design**



**Travel  
Friendly**

1



**Men's Nose Hair**

2



**Perfect Brows**

3



**Upper Lip Care**

# PW6 MINI WAXING KIT

Precision Care. Total Control.



**Bright Black**

(Other colors customisable)



**Bright White**

(Graphene heating on the bottom)



**Product:**  
PW6 mini wax heater



**Size:**  
61x61x42mm



**Pot:**  
20ml (silicon)



**Silicon pot**




**Uses:**  
Hard Wax Beans



**Heating:**  
Graphene (bottom)



**Cover:**  
Transparent



**Change:**  
ABS



**Colors:**  
Black, White, Custom



**Voltage:**  
5V/2A to 12V/1.8A



**Power:**  
10-22.5W



**Materials:**  
ABS



**Charger:**  
USB Type-C

**PRODUCT:**  
PW6



**PW6**  
mini wax heater

**USES:**  
Handling



**Heating**  
Hard Wax

**COLORS:**  
Black, White



**VOLTAGE:**  
Custom

**POT:**  
20ml (silicon)



**POWER:**  
5V/2A to 12V/1.8A

**COVER:**  
Transparent



**CHARGER:**  
USB Type-C

**Shop Now**



**Travel  
Friendly**



**Salon  
Quality**

Login-to-screen:colion [↗](#)

# ***PW8 180ml wax heater with non stick pot and silicon pot***



**Product Model:** PW8 Mini wax heater

**Dimensions:** 133x101.3x108.5mm

**Inner pot:** 74.5x45mm

**Features:**

- Silicon Pot
- PTC Bottom Heating
- Traditional Thermostat

**Function:** Men & Women Full Body Hair Removal

**Capacity:** 180ml

**Materials:** PP Body, Removable Cable (US/EU/UK/AU Options)



**Power & Voltage:**  
50W, 110-240V





## MINI Heater PW2A/B

PW2 is designed for limited counter space and perfectly sized for brow and face waxing. This compact heater will enhance any spa, salon or home waxing sessions with sleek features and a contemporary style. The temperature control knob ensures wax temperature is optimal no matter the wax formula. Also featuring a removable power lead, see-through lid and indicator light. Intended for all-day use.

# PRODUCT BENEFITS

- Control on the top side.
- Suitable Size for all hard wax.
- Teflon coated non-stick for easy-clean.
- Adjustable temperature control.
- A see-through cover for monitoring.
- Fixed pan for stirring melting.



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT



**Pot Size :** 250cc – Dia. 84mm Depth 50mm

**Color :** Black/White

**Material :** PP

**Controller :** fully touch

**Display :** N/A

**Voltage :** 110V-220V, 50/60Hz

**Power :** 50W

**Charger :** US/Europe standard, UK/Australia standard optional

**Temperature range :** 30-120 celsius



**Pot Size :** 250cc – Dia. 84mm Depth 50mm

**Color :** Black/White

**Material :** PP

**Controller :** knob control

**Display :** LED Temperature Display

**Voltage :** 110V-220V, 50/60Hz

**Power :** 50W

**Charger :** US/Europe standard, UK/Australia standard optional



Advanced Technology



Fast Heating



Digital Indicator Display



Carbon Footprint Decrease



Hard Wax Beans



Hard Wax Block

Pot Dia.118mm

Pot Depth 60mm

500cc

Suitable for all Hard Wax





Accurate Temperature Control



Power Saving



Premium Quality



Safe for Using



Non-stick Pan



Temperature Chipset



Non-Slip Mat







BWW1



BWW2

## HEATER BWW-1/2

BWW1/2 is with a sleek modern design and the digital display allows you to choose the most optimal temperature for your waxing treatment. The easy to clean Professional Wax Heater is perfect for both Hot wax in the removable insert and strip waxes, with our 500ml pot being safe to heat directly in the heater.

# PRODUCT BENEFITS

- Control on the top side.
- Suitable Size for all hard wax.
- Teflon coated non-stick for easy-clean.
- Adjustable temperature control.
- A see-through cover for monitoring.
- Fixed pan for stirring melting.



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT

BWW-1



**Pot Size :** 500cc – Dia. 118mm Depth 60mm

**Color :** Black/White

**Material :** PP

**Controller :** Adjustable Thermostat Knob

**Display :** N/A

**Voltage :** 110V-220V, 50/60Hz

**Power :** 100W

**Charger :** US/Europe standard, UK/Australia standard optional

**Temperature range :** 30-120 celsius

BWW-2



**Pot Size :** 500cc – Dia. 118mm Depth 60mm

**Color :** Black/White

**Material :** PP

**Controller :** Adjustable Digital Control

**Display :** LED Temperature Display

**Voltage :** 110V-220V, 50/60Hz

**Power :** 100W

**Charger :** US/Europe standard, UK/Australia standard optional

Advanced Technology

Fast Heating

Digital Indicator Display

Carbon Footprint Decrease

Pot Dia.102mm

Pot Depth 65mm

450cc

155

BeauTome

Suitable for both Hard Wax and Soft Wax

Hard Wax Beans

Hard Wax Block

Soft Wax

Silicone Tub

Accurate Temperature Control

Removable Power Lead

Power Saving

Premium Quality

Safe for Using

# HEATER BWW-4B/5/5K

BWW4B/5 includes an easy-to-clean pot, a See-through cover, and removable mains lead. The inbuilt microprocessor allows for fast, accurate and safe heating while the clear display give the user a superior level of control. The pot size is suitable for all hard and soft waxes. The user can place a can of soft wax directly into the heater, or alternatively you can use a BeauTome silicone inner tub for hard wax (optional).

# PRODUCT BENEFITS

- High Efficiency of PTC Heating.
- Suitable Size for both hard wax and soft wax.
- Teflon coated non-stick for easy-clean.
- A silicone tub (optional) for easy applying.
- A see-through cover for monitoring.
- Fixed pan for stirring melting.
- Removable Mains Lead.



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 450cc – Dia.102mm Depth 65mm                |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Thermostat Button                |
| Display :    | N/A                                         |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 100W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 450cc – Dia.102mm Depth 65mm                |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Digital Control                  |
| Display :    | LED Temperature Display                     |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 100W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 450cc – Dia.102mm Depth 65mm                |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Thermostat Knob                  |
| Display :    | N/A                                         |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 100W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |

BEAUTOME

SW5

Designed for Convenient and Safe



# Salon Heater SW4B/5/5K

SW4B/5/5k includes an easy-to-clean pot, a See-through cover, and removable mains lead. The inbuilt microprocessor allows for fast, accurate and safe heating while the clear display give the user a superior level of control. The pot size is suitable for all hard and soft waxes. The user can place a can of soft wax directly into the heater, or alternatively you can use a BeauTome silicone inner tub for hard wax (optional).

# PRODUCT BENEFITS

- High Efficiency of side Heating.
- Suitable Size for both hard wax and soft wax.
- Teflon coated non-stick for easy-clean.
- A silicone tub (optional) for easy applying.
- A see-through cover for monitoring.
- Fixed pan for stirring melting.
- Removable Mains Lead.



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT



**Pot Size :** 800cc – Dia.102mm Depth 105mm

**Color :** Black/White

**Material :** PP

**Controller :** Adjustable Thermostat Button

**Display :** N/A

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 200W

**Charger :** US/Europe standard  
UK/Australia optional

**Temperature range :** 30-125 celsius



**Pot Size :** 800cc – Dia.102mm Depth 105mm

**Color :** Black/White

**Material :** PP

**Controller :** Adjustable Digital Control

**Display :** LED Temperature Display

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 200W

**Charger :** US/Europe standard  
UK/Australia optional



**Pot Size :** 800cc – Dia.102mm Depth 105mm

**Color :** Black/White

**Material :** PP

**Controller :** Adjustable Thermostat Knob

**Display :** N/A

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 200W

**Charger :** US/Europe standard  
UK/Australia optional

# BEAUTOME BWW6

## ENTRY LEVEL WAX HEATER

### FOUR COLORS

Yellow | Purple | Black | White



- 500ml Wax Capacity
- Non-Stick Inner Pot  
Rot & Silicon Pot Optional
- Adjustable Knob: 30°C - 125°C
- Global Voltage: 110-220V, 100W
- Inner Pot: Ø102mm x 70mm
- Quick Heating Design

### OPTIONAL PREMIUM ACCESSORY

**SILICON POT FOR**  
1-SECOND WAX REMOVAL



1-SECOND WAX  
REMOVAL

## B2B SPECIAL

### EMPOWERING GLOBAL E-COMMERCE BRANDS:

BeauTome Manufacturing Co., Ltd. - Quality & Innovation.  
Small MOQ | OEM/ODM Available | Fast Global Shipping

OZON

 Shopee

amazon  
Partner Compatible

CE FC RoHS 



# BWW5 Pro HINGED LID WAX HEATER



**MAXIMIZE SALON SPACE:**  
HINGED LID KEEPS COUNTERS CLEAR



## 3 INTERCHANGEABLE INTERFACES & ACCESSORY



FULL TOUCH  
DIGITAL DISPLAY,  
30°C - 125°C



CLASSIC BUTTON  
CONTROL OPTION



ECO-FRIENDLY, NON-STICK  
SILICONE POT:-  
EASY HARD WAX REMOVAL

## SPECIFICATIONS



CAPACITY:  
400ml



TEMP RANGE:  
30°C - 125°C



GLOBAL VOLTAGE:  
110-120V (U.S. 100W)  
or 220-240V



POWER:  
100W



GLOBAL VOLTAGE:  
110-120V (U.S. 100W)  
or 220-240V



POWER:  
100W



INNER POT  
MEASUREMENTS:  
102x65mm / 98x55mm



REMOVABLE  
CABLE:  
EASY COLLECTION

## PERFECT PERFECT CAN MATCH



FITS US 98mm & EU 102mm  
SOFT WAX CANS

Micro-fine printing and digital equipment. Made for Professional Use.



**BWW5 Pro HINGED LID WAX HEATER**

**INTERNATIONAL DISTRIBUTION ENQUIRIES WELCOME**



**USER MANUAL INCLUDED  
& GLOBAL SUPPORT**



## HEATER PW1-A/B/C

PW1-A/B/C includes an easy-to-clean pot, a See-through cover, and removable mains lead. The inbuilt microprocessor allows for fast, accurate and safe heating while the easy-to-use control panel. The pot size is suitable for all hard and soft waxes. The user can place a can of soft wax directly into the heater, or alternatively you can use a BeauTome silicone inner tub for hard wax (optional).

# PRODUCT BENEFITS

- High Efficiency of PTC Heating.
- Suitable Size for both hard wax and soft wax.
- Teflon coated non-stick for easy-clean.
- A silicone tub (optional) for easy applying.
- A see-through cover for monitoring.
- Fixed pan for stirring melting.
- Removable Mains Lead.



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 450cc – Dia.102mm Depth 65mm                |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Digital Control                  |
| Display :    | LED Temperature Display                     |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 100W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |

Temperature range : 30-165 celsius



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 450cc – Dia.102mm Depth 65mm                |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Encoder Knob                     |
| Display :    | LED Temperature Display                     |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 100W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 450cc – Dia.102mm Depth 65mm                |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Thermostat Knob                  |
| Display :    | N/A                                         |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 100W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |

**Pot Dia.102mm**

**Pot Depth 105mm**

**800cc**

**BeauTome**

**123**

**105**

**Suitable for both Hard Wax and Soft Wax**

**Hard Wax Beans**

**Hard Wax Block**

**Soft Wax 800cc**

**Large Capacity**

**Advanced Technology**

**Fast Heating**

**Digital Indicator Display**

**Carbon Footprint Decrease**

**Accurate Temperature Control**

**Removable Power Lead**

**Power Saving**

**Premium Quality**

**Safe for Using**

**CE**

**RoHS compliant**

**FCC** Federal Communications Commission

# Salon Heater SW1A/B/C

SW1, this sturdy digital wax heater is suitable for all depilatory waxes, locking lid, protective collar and removable mains lead. The inbuilt microprocessor and easy to read digital display allow for fast, accurate and safe wax heating. Usable wax quicker than most wax heater, this saves the user time and money as it reduces the time the heater is in use compared to other heaters. Reduces carbon footprint.

# PRODUCT BENEFITS

- High Efficiency of PTC Heating.
- Suitable Size for both hard wax and soft wax.
- Teflon coated non-stick for easy-clean.
- A see-through cover for monitoring.
- Fixed pan for stirring melting.
- Removable Mains Lead.



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 800cc – Dia.102mm Depth 105mm               |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Digital Control                  |
| Display :    | LED Temperature Display                     |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 200W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |

Temperature range : 30-120 celsius



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 800cc – Dia.102mm Depth 105mm               |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Encoder Knob                     |
| Display :    | LED Temperature Display                     |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 200W                                        |
| Charger :    | US/Europe standard<br>UK/Australia optional |



|              |                                             |
|--------------|---------------------------------------------|
| Pot Size :   | 800cc – Dia.102mm Depth 105mm               |
| Color :      | Black/White                                 |
| Material :   | PP                                          |
| Controller : | Adjustable Thermostat Knob                  |
| Display :    | N/A                                         |
| Voltage :    | 110V-220V, 50/60Hz                          |
| Power :      | 2000W                                       |
| Charger :    | US/Europe standard<br>UK/Australia optional |

# BEAUTOME

## SW6A

*Designed for Convenient and Safe*



Advanced Technology



Fast Heating



Knob Control



Carbon Footprint  
Decrease

Pot Dia.102mm

Pot Depth 65mm

400ML x 2



Suitable for both Hard Wax and Soft Wax



Hard Wax Beans



Hard Wax Block



Soft Wax




Non-stick Pan



Temperature  
Chipset



Non-Slip Mat



Accurate  
Temperature Control



Power Saving



Premium Quality



Safe for Using



## Salon Heater Dual 400 ml pot SW6A/B

SW6A/B includes an easy-to-clean pot and removable mains lead. The inbuilt microprocessor allows for fast, accurate and safe heating while the clear display gives the user a superior level of control. The pot size is suitable for all hard and soft waxes. The user can place a can of soft wax directly into the heater, or alternatively you can use a BeauTome silicone inner tub for hard wax (optional).



# PRODUCT BENEFITS

- High Efficiency of side Heating.
- Suitable Size for both hard wax and soft wax.
- Teflon coated non-stick for easy-clean.
- A silicone tub (optional) for easy applying.
- SW6A with FH smart mode Fixed pan for stirring melting.
- Removable Mains Lead.



**Pot Size :** Dual 400cc Dia.102mm Depth 65mm

**Color :** White

**Material :** metal

**Controller :** fully touch with display

**Display :** high resolution display

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 100W

**Charger :** US/Europe standard  
UK/Australia optional

**Temperature range :** 30-125 celsius



**Pot Size :** Dual 400cc – Dia.102mm Depth 65mm

**Color :** White

**Material :** metal

**Controller :** knob+dispaly

**Display :** high resolution Display

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 100W

**Charger :** US/Europe standard  
UK/Australia optional

**Temperature range :** 30-125 celsius



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED



100% SECURE  
CHECKOUT

BEAUTOME

SW8B

Designed for Convenient and Safe

Advanced Technology

Fast Heating

Knob Control

Carbon Footprint Decrease

Pot Dia.102mm

800ML x 2

Pot Depth 115mm

Accurate Temperature Control

Power Saving

Premium Quality

Safe for Using

Suitable for both Hard Wax and Soft Wax

Hard Wax Beans

Hard Wax Block

Soft Wax

Non-stick Pan

Temperature Chipset

Non-Slip Mat



Salon Heater

Dual 800 ml pot

SW8A/B

SW8A/B includes an easy-to-clean pot and removable mains lead. The inbuilt microprocessor allows for fast, accurate and safe heating while the clear display gives the user a superior level of control. The pot size is suitable for all hard and soft waxes. The user can place a can of soft wax directly into the heater, or alternatively you can use a BeauTome silicone inner tub for hard wax (optional).

# PRODUCT BENEFITS

- High Efficiency of side Heating.
- Suitable Size for both hard wax and soft wax.
- Teflon coated non-stick for easy-clean.
- A silicone tub (optional) for easy applying.
- SW8A with FH smart mode Fixed pan for stirring melting.
- Removable Mains Lead.



**Pot Size :** Dual 800cc Dia.102mm Depth 115mm

**Color :** White

**Material :** metal

**Controller :** fully touch with display

**Display :** high resolution display

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 200W

**Charger :** US/Europe standard  
UK/Australia optional

**Temperature range :** 30-125 celsius



**Pot Size :** Dual 800cc Dia.102mm Depth 115mm

**Color :** White

**Material :** metal

**Controller :** knob+dispal

**Display :** high resolution Display

**Voltage :** 110V or 220V, 50/60Hz

**Power :** 200W

**Charger :** US/Europe standard  
UK/Australia optional

**Temperature range :** 30-125 celsius



PROFESSIONAL  
QUALITY



CERTIFIED  
TESTED




100% SECURE  
CHECKOUT

**Our products are trusted by top  
companies, startups, and  
professionals from all around  
the world.**

**Waxing is Smooth  
Business is Smooth, too**





**BeauTome**

**THANK  
YOU!**

Miro Wu · [miro.wu@beautome.com](mailto:miro.wu@beautome.com)  
WhatsApp +86 188 1393 3019  
[www.beautomepro.com](http://www.beautomepro.com)



Visit our factory, lab and products in Youtube